



inledcoUSA

a division of
Aquarium Design International

Aquarium Flood Light Screw LED



**Compact design, professional
LED Flood Light**

Very low energy consumption

**Extremely long lifetime up to
40,000 hrs**

**Patented, unique, flexible
design**

**Robust against all weather
conditions**

For in- and outdoor use

No UV and Near-IR Radiation in the Light Beam

Efficient Generation of White Light

Mercury-free Lamps

High Color Consistency

© 2015 ECONLUX GmbH
Errors and omissions excepted.



inledcoUSA

a division of
Aquarium Design International
www.aquariumdesign.com
561.214.4632



aquarium
design^{international}

Aquarium Flood Light

COB LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEA10WB5X2FL6CW2BL2BU	6000K +460 +430	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Not Dimmable
GBLEA10WB5X2FLBW	12000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Not Dimmable
GBLEA10WB5X2FLCW	6000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Not Dimmable
GBLEA10WB5X2FLDW	4000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Not Dimmable
GBLEA10WB5X2DFL6CW2BL2BU	6000K +460 +430	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	0-10V Dimmable
GBLEA10WB5X2DFLBW	12000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	0-10V Dimmable
GBLEA10WB5X2DFLCW	6000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	0-10V Dimmable
GBLEA10WB5X2DFLDW	4000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	0-10V Dimmable
GBLEA10WB5X2DAFL6CW2BL2BU	6000K +460 +430	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Dali
GBLEA10WB5X2DAFLBW	12000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Dali
GBLEA10WB5X2DAFLCW	6000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Dali
GBLEA10WB5X2DAFLDW	4000K	100W	90~305V	CE / TUV / UL	510X445X56	2X50W Modules	Dali
GBLEA10WB5X3FL9CW3BL3BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Not Dimmable
GBLEA10WB5X3FLBW	12000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Not Dimmable
GBLEA10WB5X3FLCW	6000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Not Dimmable
GBLEA10WB5X3FLDW	4000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Not Dimmable
GBLEA10WB5X3DFL9CW3BL3BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	0-10V Dimmable
GBLEA10WB5X3DFLBW	12000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	0-10V Dimmable
GBLEA10WB5X3DFLCW	6000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	0-10V Dimmable
GBLEA10WB5X3DFLDW	4000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	0-10V Dimmable
GBLEA10WB5X3DAFL9CW3BL3BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Dali
GBLEA10WB5X3DAFLBW	12000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Dali
GBLEA10WB5X3DAFLCW	6000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Dali
GBLEA10WB5X3DAFLDW	4000K	150W	90~305V	CE / TUV / UL	655X445X56	3X50W Modules	Dali
GBLEA10WB5X4FL12CW4BL4BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Not Dimmable
GBLEA10WB5X4FLBW	12000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Not Dimmable
GBLEA10WB5X4FLCW	6000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Not Dimmable
GBLEA10WB5X4FLDW	4000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Not Dimmable
GBLEA10WB5X4DFL12CW4BL4BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	0-10V Dimmable
GBLEA10WB5X4DFLBW	12000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	0-10V Dimmable
GBLEA10WB5X4DFLCW	6000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	0-10V Dimmable
GBLEA10WB5X4DFLDW	4000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	0-10V Dimmable
GBLEA10WB5X4DAFL12CW4BL4BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Dali
GBLEA10WB5X4DAFLBW	12000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Dali
GBLEA10WB5X4DAFLCW	6000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Dali
GBLEA10WB5X4DAFLDW	4000K	200W	90~305V	CE / TUV / UL	800X445X56	4X50W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

Aquarium Flood Light

COB LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEB10WB8X2FL8CW4BL4BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB10WB8X2FLBW	12000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB10WB8X2FLCW	6000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB10WB8X2FLDW	4000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB10WB8X2DFL8CW4BL4BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB10WB8X2DFLBW	12000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB10WB8X2DFLCW	6000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB10WB8X2DFLDW	4000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB10WB8X2DAFL8CW4BL4BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB10WB8X2DAFLBW	12000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB10WB8X2DAFLCW	6000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB10WB8X2DAFLDW	4000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB10WB8X4FL16CW8BL8BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB10WB8X4FLBW	12000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB10WB8X4FLCW	6000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB10WB8X4FLDW	4000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB10WB8X4DFL16CW8BL8BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB10WB8X4DFLBW	12000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB10WB8X4DFLCW	6000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB10WB8X4DFLDW	4000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB10WB8X4DAFL16CW8BL8BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB10WB8X4DAFLBW	12000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB10WB8X4DAFLCW	6000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB10WB8X4DAFLDW	4000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB10WB8X6FL24CW12BL12BU	6000K +460 +430	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB10WB8X6FLBW	12000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB10WB8X6FLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB10WB8X6FLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB10WB8X6DFL24CW12BL12BU	6000K +460 +430	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB10WB8X6DFLBW	12000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB10WB8X6DFLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB10WB8X6DFLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB10WB8X6DAFL24CW12BL12BU	6000K +460 +430	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB10WB8X6DAFLBW	12000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB10WB8X6DAFLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB10WB8X6DAFLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali

Aquarium Flood Light

COB LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEB10WB9X2FL10CW4BL4BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB10WB9X2FLBW	12000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB10WB9X2FLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB10WB9X2FLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB10WB9X2DFL10CW4BL4BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB10WB9X2DFLBW	12000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB10WB9X2DFLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB10WB9X2DFLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB10WB9X2DAFL10CW4BL4BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB10WB9X2DAFLBW	12000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB10WB9X2DAFLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB10WB9X2DAFLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB10WB9X3FL15CW6BL6BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB10WB9X3FLBW	12000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB10WB9X3FLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB10WB9X3FLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB10WB9X3DFL15CW6BL6BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB10WB9X3DFLBW	12000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB10WB9X3DFLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB10WB9X3DFLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB10WB9X3DAFL15CW6BL6BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Dali
GBLEB10WB9X3DAFLBW	12000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Dali
GBLEB10WB9X3DAFLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Dali
GBLEB10WB9X3DAFLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Dali
GBLEB10WB9X4FL20CW8BL8BU	6000K +460 +430	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Not Dimmable
GBLEB10WB9X4FLBW	12000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Not Dimmable
GBLEB10WB9X4FLCW	6000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Not Dimmable
GBLEB10WB9X4FLDW	4000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Not Dimmable
GBLEB10WB9X4DFL20CW8BL8BU	6000K +460 +430	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	0-10V Dimmable
GBLEB10WB9X4DFLBW	12000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	0-10V Dimmable
GBLEB10WB9X4DFLCW	6000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	0-10V Dimmable
GBLEB10WB9X4DFLDW	4000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	0-10V Dimmable
GBLEB10WB9X4DAFL20CW8BL8BU	6000K +460 +430	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Dali
GBLEB10WB9X4DAFLBW	12000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Dali
GBLEB10WB9X4DAFLCW	6000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Dali
GBLEB10WB9X4DAFLDW	4000K	400W	90~305V	CE / TUV / UL	800x685X56	4X100W Modules	Dali

Aquarium Flood Light

COB LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEC10WB11X2FL10CW6BL6BU	6000K +460 +430	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC10WB11X2FLBW	12000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC10WB11X2FLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC10WB11X2FLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC10WB11X2DFL10CW6BL6BU	6000K +460 +430	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC10WB11X2DFLBW	12000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC10WB11X2DFLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC10WB11X2DFLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC10WB11X2DAFL10CW6BL6BU	6000K +460 +430	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC10WB11X2DAFLBW	12000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC10WB11X2DAFLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC10WB11X2DAFLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC10WB11X3FL15CW9BL9BU	6000K +460 +430	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC10WB11X3FLBW	12000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC10WB11X3FLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC10WB11X3FLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC10WB11X3DFL15CW9BL9BU	6000K +460 +430	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC10WB11X3DFLBW	12000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC10WB11X3DFLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC10WB11X3DFLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC10WB11X3DAFL15CW9BL9BU	6000K +460 +430	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC10WB11X3DAFLBW	12000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC10WB11X3DAFLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC10WB11X3DAFLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC10WB11X4FL20CW12L12BU	6000K +460 +430	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC10WB11X4FLBW	12000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC10WB11X4FLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC10WB11X4FLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC10WB11X4DFL20CW12BL12BU	6000K +460 +430	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC10WB11X4DFLBW	12000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC10WB11X4DFLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC10WB11X4DFLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC10WB11X4DAFL20CW12BL12BU	6000K +460 +430	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC10WB11X4DAFLBW	12000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC10WB11X4DAFLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC10WB11X4DAFLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali

Aquarium Flood Light

COB LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLED10WB15X2FL14CW8BL8BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED10WB15X2FLBW	12000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED10WB15X2FLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED10WB15X2FLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLE10WB15X2DFL14CW8BL8BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLE10WB15X2DFLBW	12000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLE10WB15X2DFLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLE10WB15X2DFLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLE10WB15X2DAFL14CW8BL8BU	6000K +460 +430	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLE10WB15X2DAFLBW	12000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLE10WB15X2DAFLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLE10WB15X2DAFLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED10WB15X3FL21CW12BL12BU	6000K +460 +430	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED10WB15X3FLBW	12000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED10WB15X3FLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED10WB15X3FLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLE10WB15X3DFL21CW12BL12BU	6000K +460 +430	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLE10WB15X3DFLBW	12000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLE10WB15X3DFLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLE10WB15X3DFLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLE10WB15X3DAFL21CW12BL12BU	6000K +460 +430	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLE10WB15X3DAFLBW	12000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLE10WB15X3DAFLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLE10WB15X3DAFLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED10WB15X4FL28CW16BL16BU	6000K +460 +430	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED10WB15X4FLBW	12000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED10WB15X4FLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED10WB15X4FLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLE10WB15X4DFL28CW16BL16BU	6000K +460 +430	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLE10WB15X4DFLBW	12000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLE10WB15X4DFLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLE10WB15X4DFLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLE10WB15X4DAFL28CW16BL16BU	6000K +460 +430	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLE10WB15X4DAFLBW	12000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLE10WB15X4DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLE10WB15X4DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali



inledcoUSA

a division of
Aquarium Design International

LED Flood Light COB LED Models



**Compact design, professional
LED Flood Light**

Very low energy consumption

**Extremely long lifetime up to
40,000 hrs**

**Patented, unique, flexible
design**

**Robust against all weather
conditions**

For in- and outdoor use


No UV and Near-IR Radiation in the Light Beam

Efficient Generation of White Light

Mercury-free Lamps

High Color Consistency

© 2015 ECONLUX GmbH
Errors and omissions excepted.



inledcoUSA

a division of
Aquarium Design International
www.aquariumdesign.com
561.214.4632



aquarium
design^{international}

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEA20WB3X2FLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2FLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2FLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2FLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2DFLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DFLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DFLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DFLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DAFLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X2DAFLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X2DAFLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X2DAFLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X3FLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3FLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3FLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3FLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3DFLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DFLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DFLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DFLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DAFLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X3DAFLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X3DAFLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X3DAFLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X4FLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4FLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4FLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4FLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4DFLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DFLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DFLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DFLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DAFLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA20WB3X4DAFLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA20WB3X4DAFLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA20WB3X4DAFLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEA20WB3X2FLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2FLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2FLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2FLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA20WB3X2DFLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DFLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DFLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DFLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA20WB3X2DAFLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X2DAFLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X2DAFLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X2DAFLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA20WB3X3FLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3FLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3FLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3FLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA20WB3X3DFLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DFLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DFLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DFLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA20WB3X3DAFLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X3DAFLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X3DAFLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X3DAFLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA20WB3X4FLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4FLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4FLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4FLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA20WB3X4DFLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DFLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DFLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DFLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA20WB3X4DAFLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA20WB3X4DAFLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA20WB3X4DAFLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA20WB3X4DAFLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEB20WB4X6FLWW	2700K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB20WB4X6FLWD	3000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB20WB4X6FLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB20WB4X6FLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB20WB4X6DFLWW	2700K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB20WB4X6DFLWD	3000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB20WB4X6DFLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB20WB4X6DFLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB20WB4X6DAFLWW	2700K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB20WB4X6DAFLWD	3000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB20WB4X6DAFLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB20WB4X6DAFLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB20WB5X2FLWW	2700K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB20WB5X2FLWD	3000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB20WB5X2FLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB20WB5X2FLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB20WB5X2DFLWW	2700K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB20WB5X2DFLWD	3000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB20WB5X2DFLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB20WB5X2DFLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB20WB5X2DAFLWW	2700K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB20WB5X2DAFLWD	3000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB20WB5X2DAFLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB20WB5X2DAFLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB20WB5X3FLWW	2700K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB20WB5X3FLWD	3000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB20WB5X3FLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB20WB5X3FLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB20WB5X3DFLWW	2700K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DFLWD	3000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DFLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DFLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DAFLWW	2700K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DAFLWD	3000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DAFLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB20WB5X3DAFLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEB20WB5X4FLWW	2700K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB20WB5X4FLWD	3000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB20WB5X4FLDW	4000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB20WB5X4FLCW	6000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB20WB5X4DFLWW	2700K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB20WB5X4DFLWD	3000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB20WB5X4DFLDW	4000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB20WB5X4DFLCW	6000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB20WB5X4DAFLWW	2700K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB20WB5X4DAFLWD	3000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB20WB5X4DAFLDW	4000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB20WB5X4DAFLCW	6000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB20WB5X6FLWW	2700K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB20WB5X6FLWD	3000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB20WB5X6FLDW	4000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB20WB5X6FLCW	6000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB20WB5X6DFLWW	2700K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB20WB5X6DFLWD	3000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB20WB5X6DFLDW	4000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB20WB5X6DFLCW	6000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB20WB5X6DAFLWW	2700K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEB20WB5X6DAFLWD	3000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEB20WB5X6DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEB20WB5X6DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEC20WB6X2FLWW	2700K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC20WB6X2FLWD	3000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC20WB6X2FLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC20WB6X2FLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC20WB6X2DFLWW	2700K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC20WB6X2DFLWD	3000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC20WB6X2DFLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC20WB6X2DFLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC20WB6X2DAFLWW	2700K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC20WB6X2DAFLWD	3000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC20WB6X2DAFLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC20WB6X2DAFLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEC20WB6X3FLWW	2700K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC20WB6X3FLWD	3000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC20WB6X3FLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC20WB6X3FLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC20WB6X3DFLWW	2700K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC20WB6X3DFLWD	3000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC20WB6X3DFLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC20WB6X3DFLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC20WB6X3DAFLWW	2700K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC20WB6X3DAFLWD	3000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC20WB6X3DAFLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC20WB6X3DAFLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC20WB6X4FLWW	2700K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC20WB6X4FLWD	3000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC20WB6X4FLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC20WB6X4FLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC20WB6X4DFLWW	2700K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC20WB6X4DFLWD	3000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC20WB6X4DFLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC20WB6X4DFLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC20WB6X4DAFLWW	2700K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC20WB6X4DAFLWD	3000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC20WB6X4DAFLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC20WB6X4DAFLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC20WB6X6FLWW	2700K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC20WB6X6FLWD	3000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC20WB6X6FLDW	4000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC20WB6X6FLCW	6000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC20WB6X6DFLWW	2700K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC20WB6X6DFLWD	3000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC20WB6X6DFLDW	4000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC20WB6X6DFLCW	6000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC20WB6X6DAFLWW	2700K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali
GBLEC20WB6X6DAFLWD	3000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali
GBLEC20WB6X6DAFLDW	4000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali
GBLEC20WB6X6DAFLCW	6000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLED20WB8X2FLWW	2700K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED20WB8X2FLWD	3000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED20WB8X2FLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED20WB8X2FLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED20WB8X2DFLWW	2700K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED20WB8X2DFLWD	3000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED20WB8X2DFLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED20WB8X2DFLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED20WB8X2DAFLWW	2700K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED20WB8X2DAFLWD	3000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED20WB8X2DAFLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED20WB8X2DAFLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED20WB8X3FLWW	2700K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED20WB8X3FLWD	3000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED20WB8X3FLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED20WB8X3FLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED20WB8X3DFLWW	2700K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED20WB8X3DFLWD	3000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED20WB8X3DFLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED20WB8X3DFLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED20WB8X3DAFLWW	2700K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED20WB8X3DAFLWD	3000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED20WB8X3DAFLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED20WB8X3DAFLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED20WB8X4FLWW	2700K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED20WB8X4FLWD	3000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED20WB8X4FLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED20WB8X4FLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED20WB8X4DFLWW	2700K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED20WB8X4DFLWD	3000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED20WB8X4DFLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED20WB8X4DFLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED20WB8X4DAFLWW	2700K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLED20WB8X4DAFLWD	3000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLED20WB8X4DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLED20WB8X4DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLED20WB8X6FLWW	2700K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED20WB8X6FLWD	3000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED20WB8X6FLDW	4000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED20WB8X6FLCW	6000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED20WB8X6DFLWW	2700K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED20WB8X6DFLWD	3000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED20WB8X6DFLDW	4000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED20WB8X6DFLCW	6000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED20WB8X6DAFLWW	2700K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED20WB8X6DAFLWD	3000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED20WB8X6DAFLDW	4000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED20WB8X6DAFLCW	6000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED20WB8X8FLWW	2700K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED20WB8X8FLWD	3000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED20WB8X8FLDW	4000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED20WB8X8FLCW	6000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED20WB8X8DFLWW	2700K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED20WB8X8DFLWD	3000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED20WB8X8DFLDW	4000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED20WB8X8DFLCW	6000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED20WB8X8DAFLWW	2700K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLED20WB8X8DAFLWD	3000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLED20WB8X8DAFLDW	4000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLED20WB8X8DAFLCW	6000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLEE20WB10X2FLWW	2700K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE20WB10X2FLWD	3000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE20WB10X2FLDW	4000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE20WB10X2FLCW	6000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE20WB10X2DFLWW	2700K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE20WB10X2DFLWD	3000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE20WB10X2DFLDW	4000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE20WB10X2DFLCW	6000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE20WB10X2DAFLWW	2700K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali
GBLEE20WB10X2DAFLWD	3000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali
GBLEE20WB10X2DAFLDW	4000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali
GBLEE20WB10X2DAFLCW	6000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEE20WB10X3FLWW	2700K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE20WB10X3FLWD	3000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE20WB10X3FLDW	4000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE20WB10X3FLCW	6000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE20WB10X3DFLWW	2700K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE20WB10X3DFLWD	3000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE20WB10X3DFLDW	4000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE20WB10X3DFLCW	6000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE20WB10X3DAFLWW	2700K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE20WB10X3DAFLWD	3000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE20WB10X3DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE20WB10X3DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE20WB10X4FLWW	2700K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE20WB10X4FLWD	3000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE20WB10X4FLDW	4000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE20WB10X4FLCW	6000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE20WB10X4DFLWW	2700K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE20WB10X4DFLWD	3000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE20WB10X4DFLDW	4000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE20WB10X4DFLCW	6000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE20WB10X4DAFLWW	2700K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE20WB10X4DAFLWD	3000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE20WB10X4DAFLDW	4000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE20WB10X4DAFLCW	6000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE20WB10X6FLWW	2700K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE20WB10X6FLWD	3000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE20WB10X6FLDW	4000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE20WB10X6FLCW	6000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE20WB10X6DFLWW	2700K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE20WB10X6DFLWD	3000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE20WB10X6DFLDW	4000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE20WB10X6DFLCW	6000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE20WB10X6DAFLWW	2700K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali
GBLEE20WB10X6DAFLWD	3000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali
GBLEE20WB10X6DAFLDW	4000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali
GBLEE20WB10X6DAFLCW	6000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali

LED Flood Light

COB LED Models

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEE20WB10X8FLWW	2700K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE20WB10X8FLWD	3000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE20WB10X8FLDW	4000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE20WB10X8FLCW	6000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE20WB10X8DFLWW	2700K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE20WB10X8DFLWD	3000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE20WB10X8DFLDW	4000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE20WB10X8DFLCW	6000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE20WB10X8DAFLWW	2700K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali
GBLEE20WB10X8DAFLWD	3000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali
GBLEE20WB10X8DAFLDW	4000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali
GBLEE20WB10X8DAFLCW	6000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali



inledcoUSA

a division of
Aquarium Design International

LED Flood Light Screw Power LED



**Compact design, professional
LED Flood Light**

Very low energy consumption

**Extremely long lifetime up to
40,000 hrs**

**Patented, unique, flexible
design**

**Robust against all weather
conditions**

For in- and outdoor use

No UV and Near-IR Radiation in the Light Beam

Efficient Generation of White Light

Mercury-free Lamps

High Color Consistency

© 2015 ECONLUX GmbH
Errors and omissions excepted.




inledcoUSA

a division of
Aquarium Design International
www.aquariumdesign.com
561.214.4632



LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEA4W18X2FLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA4W18X2FLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA4W18X2FLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA4W18X2FLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Not Dimmable
GBLEA4W18X2DFLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA4W18X2DFLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA4W18X2DFLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA4W18X2DFLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	0-10V Dimmable
GBLEA4W18X2DAFLWW	2700K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA4W18X2DAFLWD	3000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA4W18X2DAFLDW	4000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA4W18X2DAFLCW	6000K	120W	90~305V	CE / TUV / UL	510X445X56	2X60W Modules	Dali
GBLEA4W18X3FLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA4W18X3FLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA4W18X3FLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA4W18X3FLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Not Dimmable
GBLEA4W18X3DFLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA4W18X3DFLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA4W18X3DFLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA4W18X3DFLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	0-10V Dimmable
GBLEA4W18X3DAFLWW	2700K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA4W18X3DAFLWD	3000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA4W18X3DAFLDW	4000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA4W18X3DAFLCW	6000K	180W	90~305V	CE / TUV / UL	655X445X56	3X60W Modules	Dali
GBLEA4W18X4FLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA4W18X4FLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA4W18X4FLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA4W18X4FLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Not Dimmable
GBLEA4W18X4DFLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA4W18X4DFLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA4W18X4DFLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA4W18X4DFLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	0-10V Dimmable
GBLEA4W18X4DAFLWW	2700K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA4W18X4DAFLWD	3000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA4W18X4DAFLDW	4000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali
GBLEA4W18X4DAFLCW	6000K	240W	90~305V	CE / TUV / UL	800X445X56	4X60W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEA4W18X6FLWW	2700K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Not Dimmable
GBLEA4W18X6FLWD	3000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Not Dimmable
GBLEA4W18X6FLDW	4000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Not Dimmable
GBLEA4W18X6FLCW	6000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Not Dimmable
GBLEA4W18X6DFLWW	2700K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	0-10V Dimmable
GBLEA4W18X6DFLWD	3000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	0-10V Dimmable
GBLEA4W18X6DFLDW	4000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	0-10V Dimmable
GBLEA4W18X6DFLCW	6000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	0-10V Dimmable
GBLEA4W18X6DAFLWW	2700K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Dali
GBLEA4W18X6DAFLWD	3000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Dali
GBLEA4W18X6DAFLDW	4000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Dali
GBLEA4W18X6DAFLCW	6000K	360W	90~305V	CE / TUV / UL	1090X445X56	6X60W Modules	Dali
GBLEB4W24X2FLWW	2700K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB4W24X2FLWD	3000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB4W24X2FLDW	4000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB4W24X2FLCW	6000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Not Dimmable
GBLEB4W24X2DFLWW	2700K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB4W24X2DFLWD	3000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB4W24X2DFLDW	4000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB4W24X2DFLCW	6000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	0-10V Dimmable
GBLEB4W24X2DAFLWW	2700K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB4W24X2DAFLWD	3000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB4W24X2DAFLDW	4000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB4W24X2DAFLCW	6000K	150W	90~305V	CE / TUV / UL	685X510X56	2X75W Modules	Dali
GBLEB4W24X4FLWW	2700K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB4W24X4FLWD	3000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB4W24X4FLDW	4000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB4W24X4FLCW	6000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Not Dimmable
GBLEB4W24X4DFLWW	2700K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB4W24X4DFLWD	3000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB4W24X4DFLDW	4000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB4W24X4DFLCW	6000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	0-10V Dimmable
GBLEB4W24X4DAFLWW	2700K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB4W24X4DAFLWD	3000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB4W24X4DAFLDW	4000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali
GBLEB4W24X4DAFLCW	6000K	300W	90~305V	CE / TUV / UL	800X685X56	4X75W Modules	Dali

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEB4W24X6FLWW	2700K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB4W24X6FLWD	3000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB4W24X6FLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB4W24X6FLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Not Dimmable
GBLEB4W24X6DFLWW	2700K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB4W24X6DFLWD	3000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB4W24X6DFLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB4W24X6DFLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	0-10V Dimmable
GBLEB4W24X6DAFLWW	2700K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB4W24X6DAFLWD	3000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB4W24X6DAFLDW	4000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB4W24X6DAFLCW	6000K	450W	90~305V	CE / TUV / UL	1090X685X56	6X75W Modules	Dali
GBLEB4W30X2FLWW	2700K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB4W30X2FLWD	3000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB4W30X2FLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB4W30X2FLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Not Dimmable
GBLEB4W30X2DFLWW	2700K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB4W30X2DFLWD	3000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB4W30X2DFLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB4W30X2DFLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	0-10V Dimmable
GBLEB4W30X2DAFLWW	2700K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB4W30X2DAFLWD	3000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB4W30X2DAFLDW	4000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB4W30X2DAFLCW	6000K	200W	90~305V	CE / TUV / UL	685X510X56	2X100W Modules	Dali
GBLEB4W30X3FLWW	2700K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB4W30X3FLWD	3000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB4W30X3FLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB4W30X3FLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	Not Dimmable
GBLEB4W30X3DFLWW	2700K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DFLWD	3000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DFLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DFLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DAFLWW	2700K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DAFLWD	3000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DAFLDW	4000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable
GBLEB4W30X3DAFLCW	6000K	300W	90~305V	CE / TUV / UL	685X655X56	3X100W Modules	0-10V Dimmable

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEB4W30X4FLWW	2700K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB4W30X4FLWD	3000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB4W30X4FLDW	4000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB4W30X4FLCW	6000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Not Dimmable
GBLEB4W30X4DFLWW	2700K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB4W30X4DFLWD	3000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB4W30X4DFLDW	4000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB4W30X4DFLCW	6000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	0-10V Dimmable
GBLEB4W30X4DAFLWW	2700K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB4W30X4DAFLWD	3000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB4W30X4DAFLDW	4000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB4W30X4DAFLCW	6000K	400W	90~305V	CE / TUV / UL	800X685X56	4X100W Modules	Dali
GBLEB4W30X6FLWW	2700K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB4W30X6FLWD	3000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB4W30X6FLDW	4000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB4W30X6FLCW	6000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Not Dimmable
GBLEB4W30X6DFLWW	2700K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB4W30X6DFLWD	3000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB4W30X6DFLDW	4000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB4W30X6DFLCW	6000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	0-10V Dimmable
GBLEB4W30X6DAFLWW	2700K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEB4W30X6DAFLWD	3000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEB4W30X6DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEB4W30X6DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1090X685X56	6X100W Modules	Dali
GBLEC4W36X2FLWW	2700K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC4W36X2FLWD	3000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC4W36X2FLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC4W36X2FLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Not Dimmable
GBLEC4W36X2DFLWW	2700K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC4W36X2DFLWD	3000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC4W36X2DFLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC4W36X2DFLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	0-10V Dimmable
GBLEC4W36X2DAFLWW	2700K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC4W36X2DAFLWD	3000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC4W36X2DAFLDW	4000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali
GBLEC4W36X2DAFLCW	6000K	240W	90~305V	CE / TUV / UL	805X510X56	2X120W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEC4W36X3FLWW	2700K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC4W36X3FLWD	3000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC4W36X3FLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC4W36X3FLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Not Dimmable
GBLEC4W36X3DFLWW	2700K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC4W36X3DFLWD	3000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC4W36X3DFLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC4W36X3DFLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	0-10V Dimmable
GBLEC4W36X3DAFLWW	2700K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC4W36X3DAFLWD	3000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC4W36X3DAFLDW	4000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC4W36X3DAFLCW	6000K	360W	90~305V	CE / TUV / UL	805X655X56	3X120W Modules	Dali
GBLEC4W36X4FLWW	2700K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC4W36X4FLWD	3000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC4W36X4FLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC4W36X4FLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Not Dimmable
GBLEC4W36X4DFLWW	2700K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC4W36X4DFLWD	3000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC4W36X4DFLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC4W36X4DFLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	0-10V Dimmable
GBLEC4W36X4DAFLWW	2700K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC4W36X4DAFLWD	3000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC4W36X4DAFLDW	4000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC4W36X4DAFLCW	6000K	480W	90~305V	CE / TUV / UL	805X800X56	4X120W Modules	Dali
GBLEC4W36X6FLWW	2700K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC4W36X6FLWD	3000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC4W36X6FLDW	4000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC4W36X6FLCW	6000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Not Dimmable
GBLEC4W36X6DFLWW	2700K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC4W36X6DFLWD	3000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC4W36X6DFLDW	4000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC4W36X6DFLCW	6000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	0-10V Dimmable
GBLEC4W36X6DAFLWW	2700K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali
GBLEC4W36X6DAFLWD	3000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali
GBLEC4W36X6DAFLDW	4000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali
GBLEC4W36X6DAFLCW	6000K	720W	90~305V	CE / TUV / UL	1090X805X56	6X120W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLED4W48X2FLWW	2700K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED4W48X2FLWD	3000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED4W48X2FLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED4W48X2FLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Not Dimmable
GBLED4W48X2DFLWW	2700K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED4W48X2DFLWD	3000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED4W48X2DFLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED4W48X2DFLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	0-10V Dimmable
GBLED4W48X2DAFLWW	2700K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED4W48X2DAFLWD	3000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED4W48X2DAFLDW	4000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED4W48X2DAFLCW	6000K	300W	90~305V	CE / TUV / UL	1045X510X56	2X150W Modules	Dali
GBLED4W48X3FLWW	2700K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED4W48X3FLWD	3000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED4W48X3FLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED4W48X3FLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Not Dimmable
GBLED4W48X3DFLWW	2700K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED4W48X3DFLWD	3000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED4W48X3DFLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED4W48X3DFLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	0-10V Dimmable
GBLED4W48X3DAFLWW	2700K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED4W48X3DAFLWD	3000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED4W48X3DAFLDW	4000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED4W48X3DAFLCW	6000K	450W	90~305V	CE / TUV / UL	1045X655X56	3X150W Modules	Dali
GBLED4W48X4FLWW	2700K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED4W48X4FLWD	3000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED4W48X4FLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED4W48X4FLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Not Dimmable
GBLED4W48X4DFLWW	2700K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED4W48X4DFLWD	3000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED4W48X4DFLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED4W48X4DFLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	0-10V Dimmable
GBLED4W48X4DAFLWW	2700K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLED4W48X4DAFLWD	3000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLED4W48X4DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali
GBLED4W48X4DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1045X800X56	4X150W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLED4W48X6FLWW	2700K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED4W48X6FLWD	3000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED4W48X6FLDW	4000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED4W48X6FLCW	6000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Not Dimmable
GBLED4W48X6DFLWW	2700K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED4W48X6DFLWD	3000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED4W48X6DFLDW	4000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED4W48X6DFLCW	6000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	0-10V Dimmable
GBLED4W48X6DAFLWW	2700K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED4W48X6DAFLWD	3000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED4W48X6DAFLDW	4000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED4W48X6DAFLCW	6000K	900W	90~305V	CE / TUV / UL	1090X1045X56	6X150W Modules	Dali
GBLED4W48X8FLWW	2700K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED4W48X8FLWD	3000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED4W48X8FLDW	4000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED4W48X8FLCW	6000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Not Dimmable
GBLED4W48X8DFLWW	2700K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED4W48X8DFLWD	3000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED4W48X8DFLDW	4000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED4W48X8DFLCW	6000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	0-10V Dimmable
GBLED4W48X8DAFLWW	2700K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLED4W48X8DAFLWD	3000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLED4W48X8DAFLDW	4000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLED4W48X8DAFLCW	6000K	1200W	90~305V	CE / TUV / UL	1380X1045X56	8X150W Modules	Dali
GBLEE4W60X2FLWW	2700K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE4W60X2FLWD	3000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE4W60X2FLDW	4000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE4W60X2FLCW	6000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Not Dimmable
GBLEE4W60X2DFLWW	2700K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE4W60X2DFLWD	3000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE4W60X2DFLDW	4000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE4W60X2DFLCW	6000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	0-10V Dimmable
GBLEE4W60X2DAFLWW	2700K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali
GBLEE4W60X2DAFLWD	3000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali
GBLEE4W60X2DAFLDW	4000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali
GBLEE4W60X2DAFLCW	6000K	400W	90~305V	CE / TUV / UL	1285X510X56	2X200W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEE4W60X3FLWW	2700K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE4W60X3FLWD	3000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE4W60X3FLDW	4000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE4W60X3FLCW	6000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Not Dimmable
GBLEE4W60X3DFLWW	2700K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE4W60X3DFLWD	3000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE4W60X3DFLDW	4000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE4W60X3DFLCW	6000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	0-10V Dimmable
GBLEE4W60X3DAFLWW	2700K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE4W60X3DAFLWD	3000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE4W60X3DAFLDW	4000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE4W60X3DAFLCW	6000K	600W	90~305V	CE / TUV / UL	1285X655X56	3X200W Modules	Dali
GBLEE4W60X4FLWW	2700K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE4W60X4FLWD	3000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE4W60X4FLDW	4000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE4W60X4FLCW	6000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Not Dimmable
GBLEE4W60X4DFLWW	2700K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE4W60X4DFLWD	3000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE4W60X4DFLDW	4000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE4W60X4DFLCW	6000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	0-10V Dimmable
GBLEE4W60X4DAFLWW	2700K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE4W60X4DAFLWD	3000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE4W60X4DAFLDW	4000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE4W60X4DAFLCW	6000K	800W	90~305V	CE / TUV / UL	1285X800X56	4X200W Modules	Dali
GBLEE4W60X6FLWW	2700K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE4W60X6FLWD	3000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE4W60X6FLDW	4000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE4W60X6FLCW	6000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Not Dimmable
GBLEE4W60X6DFLWW	2700K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE4W60X6DFLWD	3000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE4W60X6DFLDW	4000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE4W60X6DFLCW	6000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	0-10V Dimmable
GBLEE4W60X6DAFLWW	2700K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali
GBLEE4W60X6DAFLWD	3000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali
GBLEE4W60X6DAFLDW	4000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali
GBLEE4W60X6DAFLCW	6000K	1200W	90~305V	CE / TUV / UL	1285X1090X56	6X200W Modules	Dali

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Screw Power LED

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLEE4W60X8FLWW	2700K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE4W60X8FLWD	3000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE4W60X8FLDW	4000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE4W60X8FLCW	6000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Not Dimmable
GBLEE4W60X8DFLWW	2700K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE4W60X8DFLWD	3000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE4W60X8DFLDW	4000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE4W60X8DFLCW	6000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	0-10V Dimmable
GBLEE4W60X8DAFLWW	2700K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali
GBLEE4W60X8DAFLWD	3000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali
GBLEE4W60X8DAFLDW	4000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali
GBLEE4W60X8DAFLCW	6000K	1600W	90~305V	CE / TUV / UL	1380X1285X56	8X200W Modules	Dali



inledcoUSA

a division of
Aquarium Design International

LED Flood Light Single Mode



**Compact design, professional
LED Flood Light**

Very low energy consumption

**Extremely long lifetime up to
40,000 hrs**

**Patented, unique, flexible
design**

**Robust against all weather
conditions**

For in- and outdoor use

No UV and Near-IR Radiation in the Light Beam

Efficient Generation of White Light

Mercury-free Lamps

High Color Consistency

© 2015 ECONLUX GmbH
Errors and omissions excepted.



inledcoUSA

a division of
Aquarium Design International
www.aquariumdesign.com
561.214.4632



aquarium
design^{international}

LED Flood Light

Single Mode

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLE4W18FLWW	2700K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE4W18FLWD	3000K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE4W18FLDW	4000K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE4W18FLCW	6000K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE4W30FLWW	2700K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE4W30FLWD	3000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE4W30FLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE4W30FLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE4W30DFLWW	2700K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE4W30DFLWD	3000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE4W30DFLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE4W30DFLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE4W30DAFLWW	2700K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE4W30DAFLWD	3000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE4W30DAFLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE4W30DAFLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE4W36FLWW	2700K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE4W36FLWD	3000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE4W36FLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE4W36FLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE4W36DFLWW	2700K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE4W36DFLWD	3000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE4W36DFLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE4W36DFLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE4W36DAFLWW	2700K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE4W36DAFLWD	3000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE4W36DAFLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE4W36DAFLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE4W48FLWW	2700K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE4W48FLWD	3000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE4W48FLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE4W48FLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE4W48DFLWW	2700K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE4W48DFLWD	3000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE4W48DFLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE4W48DFLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable

LED Flood Light

Single Mode

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLE4W48DAFLWW	2700K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE4W48DAFLWD	3000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE4W48DAFLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE4W48DAFLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE4W60FLWW	2700K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE4W60FLWD	3000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE4W60FLDW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE4W60FLCW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE4W60DFLWW	2700K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE4W60DFLWD	3000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE4W60DFLDW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE4W60DFLCW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE4W60DAFLWW	2700K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE4W60DAFLWD	3000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE4W60DAFLDW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE4W60DAFLCW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE20W3BFLWW	2700K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE20W3BFLWD	3000K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE20W3BFLDW	4000K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE20W3BFLCW	6000K	60W	90~305V	CE / TUV / UL	380X140X95	1X60W Modules	Not Dimmable
GBLE20WB5FLWW	2700K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE20WB5FLWD	3000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE20WB5FLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE20WB5FLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE20WB5DFLWW	2700K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE20WB5DFLWD	3000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE20WB5DFLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE20WB5DFLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE20WB5DAFLWW	2700K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE20WB5DAFLWD	3000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE20WB5DAFLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE20WB5DAFLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE20WB6FLWW	2700K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE20WB6FLWD	3000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE20WB6FLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE20WB6FLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Single Mode

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLE20WB6DFLWW	2700K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE20WB6DFLWD	3000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE20WB6DFLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE20WB6DFLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE20WB6DAFLWW	2700K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE20WB6DAFLWD	3000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE20WB6DAFLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE20WB6DAFLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE20WB8FLWW	2700K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE20WB8FLWD	3000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE20WB8FLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE20WB8FLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE20WB8DFLWW	2700K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE20WB8DFLWD	3000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE20WB8DFLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE20WB8DFLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE20WB8DAFLWW	2700K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE20WB8DAFLWD	3000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE20WB8DAFLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE20WB8DAFLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE20WB10FLWW	2700K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE20WB10FLWD	3000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE20WB10FLDW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE20WB10FLCW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE20WB10DFLWW	2700K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE20WB10DFLWD	3000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE20WB10DFLDW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE20WB10DFLCW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE20WB10DAFLWW	2700K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE20WB10DAFLWD	3000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE20WB10DAFLDW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE20WB10DAFLCW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE10WB5FL3CWBLBU	6000K +460 +430	50W	90~305V	CE / TUV / UL	380X140X95	1X50W Modules	Not Dimmable
GBLE10WB5FLBW	12000K	50W	90~305V	CE / TUV / UL	380X140X95	1X50W Modules	Not Dimmable
GBLE10WB5FLCW	6000K	50W	90~305V	CE / TUV / UL	380X140X95	1X50W Modules	Not Dimmable
GBLE10WB5FLDW	4000K	50W	90~305V	CE / TUV / UL	380X140X95	1X50W Modules	Not Dimmable

© 2015 ECONLUX GmbH
Errors and omissions excepted.

LED Flood Light

Single Mode

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLE10WB9FL5CW2BL2BU	6000K +460 +430	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE10WB9FL5BW	12000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE10WB9FL5CW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE10WB9FL5DW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Not Dimmable
GBLE10WB9DFL5CW2BL2BU	6000K +460 +430	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE10WB9DFLBW	12000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE10WB9DFLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE10WB9DFLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	0-10V Dimmable
GBLE10WB9DAFL5CW2BL2BU	6000K +460 +430	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE10WB9DAFLBW	12000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE10WB9DAFLCW	6000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE10WB9DAFLDW	4000K	100W	90~305V	CE / TUV / UL	620X140X95	1X100W Modules	Dali
GBLE10WB11FL5CW3BL3BU	6000K +460 +430	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE10WB11FLBW	12000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE10WB11FLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE10WB11FLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Not Dimmable
GBLE10WB11DFL5CW3BL3BU	6000K +460 +430	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE10WB11DFLBW	12000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE10WB11DFLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE10WB11DFLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	0-10V Dimmable
GBLE10WB11DAFL5CW3BL3BU	6000K +460 +430	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE10WB11DAFLBW	12000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE10WB11DAFLCW	6000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE10WB11DAFLDW	4000K	120W	90~305V	CE / TUV / UL	740X140X95	1X120W Modules	Dali
GBLE10WB15FL7CW4BL4BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE10WB15FLBW	12000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE10WB15FLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE10WB15FLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Not Dimmable
GBLE10WB15DFL7CW4BL4BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE10WB15DFLBW	12000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE10WB15DFLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE10WB15DFLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	0-10V Dimmable
GBLE10WB15DAFL7CW4BL4BU	6000K +460 +430	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE10WB15DAFLBW	12000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE10WB15DAFLCW	6000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali
GBLE10WB15DAFLDW	4000K	150W	90~305V	CE / TUV / UL	980X140X95	1X150W Modules	Dali

LED Flood Light

Single Mode

Model Number	LED Color	Power	Input Voltage	Driver Approval	Product Size	LED Range	Control System
GBLE10WB19FL9CW5BL5BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE10WB19FLBW	12000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE10WB19FLBW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE10WB19FLBW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Not Dimmable
GBLE10WB19DFL9CW5BL5BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE10WB19DFLBW	12000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE10WB19DFLBW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE10WB19DFLBW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	0-10V Dimmable
GBLE10WB19DAFL9CW5BL5BU	6000K +460 +430	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE10WB19DAFLBW	12000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE10WB19DAFLBW	6000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali
GBLE10WB19DAFLBW	4000K	200W	90~305V	CE / TUV / UL	1220X140X95	1X200W Modules	Dali



inledcoUSA

a division of
Aquarium Design International

LED Flood Light Spare Parts

© 2015 ECONLUX GmbH
Errors and omissions excepted.



inledcoUSA

a division of
Aquarium Design International
www.aquariumdesign.com
561.214.4632



aquarium design
international

LED Flood Light

LED Module for Flood Light

Type of Materials	Model Number	LED Color	LED Power	Input Voltage	Parallel Series	Maximum Input Current	Suggested Input Current	Dimension (mm)
Power LED Module	GBLE4W18WW	2700K	54W	24~29V DC	2P9S	3000mA	1800~2200mA	380x140x56
Power LED Module	GBLE4W18WD	3000K	54W	24~29V DC	2P9S	3000mA	1800~2200mA	380x140x56
Power LED Module	GBLE4W18DW	4000K	54W	24~29V DC	2P9S	3000mA	1800~2200mA	380x140x56
Power LED Module	GBLE4W18CW	6000K	54W	24~29V DC	2P9S	3000mA	1800~2200mA	380x140x56
Power LED Module	GBLE4W24WW	2700K	67W	32~39V DC	2P12S	3000mA	1800~2200mA	620x140x56
Power LED Module	GBLE4W24WD	3000K	67W	32~39V DC	2P12S	3000mA	1800~2200mA	620x140x56
Power LED Module	GBLE4W24DW	4000K	67W	32~39V DC	2P12S	3000mA	1800~2200mA	620x140x56
Power LED Module	GBLE4W24CW	6000K	67W	32~39V DC	2P12S	3000mA	1800~2200mA	620x140x56
Power LED Module	GBLE4W30WW	2700K	90W	27~32V DC	3P10S	4500mA	2700~3300mA	620x140x56
Power LED Module	GBLE4W30WD	3000K	90W	27~32V DC	3P10S	4500mA	2700~3300mA	620x140x56
Power LED Module	GBLE4W30DW	4000K	90W	27~32V DC	3P10S	4500mA	2700~3300mA	620x140x56
Power LED Module	GBLE4W30CW	6000K	90W	27~32V DC	3P10S	4500mA	2700~3300mA	620x140x56
Power LED Module	GBLE4W36WW	2700K	108W	32~39V DC	3P12S	4500mA	2700~3300mA	740x140x56
Power LED Module	GBLE4W36WD	3000K	108W	32~39V DC	3P12S	4500mA	2700~3300mA	740x140x56
Power LED Module	GBLE4W36DW	4000K	108W	32~39V DC	3P12S	4500mA	2700~3300mA	740x140x56
Power LED Module	GBLE4W36CW	6000K	108W	32~39V DC	3P12S	4500mA	2700~3300mA	740x140x56
Power LED Module	GBLE4W48WW	2700K	135W	32~39V DC	4P12S	6000mA	3600~4400mA	980x140x56
Power LED Module	GBLE4W48WD	3000K	135W	32~39V DC	4P12S	6000mA	3600~4400mA	980x140x56
Power LED Module	GBLE4W48DW	4000K	135W	32~39V DC	4P12S	6000mA	3600~4400mA	980x140x56
Power LED Module	GBLE4W48CW	6000K	135W	32~39V DC	4P12S	6000mA	3600~4400mA	980x140x56
Power LED Module	GBLE4W60WW	2700K	180W	32~39V DC	5P12S	7500mA	4500~5500mA	1220x140x56
Power LED Module	GBLE4W60WD	3000K	180W	32~39V DC	5P12S	7500mA	4500~5500mA	1220x140x56
Power LED Module	GBLE4W60DW	4000K	180W	32~39V DC	5P12S	7500mA	4500~5500mA	1220x140x56
Power LED Module	GBLE4W60CW	6000K	180W	32~39V DC	5P12S	7500mA	4500~5500mA	1220x140x56
COB LED Module	GBLE20WB3WW	2700K	54W	36~40V DC	3P	2400mA	1400~1500mA	380x140x56
COB LED Module	GBLE20WB3WD	3000K	54W	36~40V DC	3P	2400mA	1400~1500mA	380x140x56
COB LED Module	GBLE20WB3DW	4000K	54W	36~40V DC	3P	2400mA	1400~1500mA	380x140x56
COB LED Module	GBLE20WB3CW	6000K	54W	36~40V DC	3P	2400mA	1400~1500mA	380x140x56
COB LED Module	GBLE20WB4WW	2700K	67W	36~40V DC	4P	3200mA	1650~1850mA	620x140x56
COB LED Module	GBLE20WB4WD	3000K	67W	36~40V DC	4P	3200mA	1650~1850mA	620x140x56
COB LED Module	GBLE20WB4DW	4000K	67W	36~40V DC	4P	3200mA	1650~1850mA	620x140x56
COB LED Module	GBLE20WB4CW	6000K	67W	36~40V DC	4P	3200mA	1650~1850mA	620x140x56
COB LED Module	GBLE20WB5WW	2700K	90W	36~40V DC	5P	4000mA	2300~2500mA	620x140x56
COB LED Module	GBLE20WB5WD	3000K	90W	36~40V DC	5P	4000mA	2300~2500mA	620x140x56
COB LED Module	GBLE20WB5DW	4000K	90W	36~40V DC	5P	4000mA	2300~2500mA	620x140x56
COB LED Module	GBLE20WB5CW	6000K	90W	36~40V DC	5P	4000mA	2300~2500mA	620x140x56

LED Flood Light

LED Module for Flood Light

Type of Materials	Model Number	LED Color	LED Power	Input Voltage	Parallel Series	Maximum Input Current	Suggested Input Current	Dimension (mm)
COB LED Module	GBLE20WB6WW	2700K	108W	36~40V DC	6P	4800mA	2700~3000mA	740x140x56
COB LED Module	GBLE20WB6WD	3000K	108W	36~40V DC	6P	4800mA	2700~3000mA	740x140x56
COB LED Module	GBLE20WB6DW	4000K	108W	36~40V DC	6P	4800mA	2700~3000mA	740x140x56
COB LED Module	GBLE20WB6CW	6000K	108W	36~40V DC	6P	4800mA	2700~3000mA	740x140x56
COB LED Module	GBLE20WB8WW	2700K	135W	36~40V DC	8P	6400mA	3400~3700mA	980x140x56
COB LED Module	GBLE20WB8WD	3000K	135W	36~40V DC	8P	6400mA	3400~3700mA	980x140x56
COB LED Module	GBLE20WB8DW	4000K	135W	36~40V DC	8P	6400mA	3400~3700mA	980x140x56
COB LED Module	GBLE20WB8CW	6000K	135W	36~40V DC	8P	6400mA	3400~3700mA	980x140x56
COB LED Module	GBLE20WB10WW	2700K	180W	36~40V DC	10P	8000mA	4500~5000mA	1220x140x56
COB LED Module	GBLE20WB10WD	3000K	180W	36~40V DC	10P	8000mA	4500~5000mA	1220x140x56
COB LED Module	GBLE20WB10DW	4000K	180W	36~40V DC	10P	8000mA	4500~5000mA	1220x140x56
COB LED Module	GBLE20WB10CW	6000K	180W	36~40V DC	10P	8000mA	4500~5000mA	1220x140x56
Aquarium Module	GBLE10WB3CWBLBU	6000K+460+430	45W	30~33V DC	5P	2250mA	1350~1500mA	380x140x56
Aquarium Module	GBLE10WB5BW	10000K	45W	30~33V DC	5P	2250mA	1350~1500mA	380x140x56
Aquarium Module	GBLE10WB5CW	6000K	45W	30~33V DC	5P	2250mA	1350~1500mA	380x140x56
Aquarium Module	GBLE10WB5DW	4000K	45W	30~33V DC	5P	2250mA	1350~1500mA	380x140x56
Aquarium Module	GBLE10WB4CW2BL2BU	6000K+460+430	67W	30~33V DC	8P	3600mA	2000~2200mA	620x140x56
Aquarium Module	GBLE10WB8BW	10000K	67W	30~33V DC	8P	3600mA	2000~2200mA	620x140x56
Aquarium Module	GBLE10WB8CW	6000K	67W	30~33V DC	8P	3600mA	2000~2200mA	620x140x56
Aquarium Module	GBLE10WB8DW	4000K	67W	30~33V DC	8P	3600mA	2000~2200mA	620x140x56
Aquarium Module	GBLE10WB5CW2BL2BU	6000K+460+430	90W	30~33V DC	9P	4050mA	2700~3000mA	620x140x56
Aquarium Module	GBLE10WB9BW	10000K	90W	30~33V DC	9P	4050mA	2700~3000mA	620x140x56
Aquarium Module	GBLE10WB9CW	6000K	90W	30~33V DC	9P	4050mA	2700~3000mA	620x140x56
Aquarium Module	GBLE10WB9DW	4000K	90W	30~33V DC	9P	4050mA	2700~3000mA	620x140x56
Aquarium Module	GBLE10WB5CW3BL3BU	6000K+460+430	108W	30~33V DC	11P	4950mA	3300~3600mA	740x140x56
Aquarium Module	GBLE10WB11BW	10000K	108W	30~33V DC	11P	4950mA	3300~3600mA	740x140x56
Aquarium Module	GBLE10WB11CW	6000K	108W	30~33V DC	11P	4950mA	3300~3600mA	740x140x56
Aquarium Module	GBLE10WB11DW	4000K	108W	30~33V DC	11P	4950mA	3300~3600mA	740x140x56
Aquarium Module	GBLE10WB7CW4BL4BU	6000K+460+430	135W	30~33V DC	15P	6750mA	4100~4500mA	980x140x56
Aquarium Module	GBLE10WB15BW	10000K	135W	30~33V DC	15P	6750mA	4100~4500mA	980x140x56
Aquarium Module	GBLE10WB15CW	6000K	135W	30~33V DC	15P	6750mA	4100~4500mA	980x140x56
Aquarium Module	GBLE10WB15DW	4000K	135W	30~33V DC	15P	6750mA	4100~4500mA	980x140x56
Aquarium Module	GBLE10WB9CW5BL5BU	6000K+460+430	180W	30~33V DC	19P	8550mA	5500~6000mA	1220x140x56
Aquarium Module	GBLE10WB19BW	10000K	180W	30~33V DC	19P	8550mA	5500~6000mA	1220x140x56
Aquarium Module	GBLE10WB19CW	6000K	180W	30~33V DC	19P	8550mA	5500~6000mA	1220x140x56
Aquarium Module	GBLE10WB19DW	4000K	180W	30~33V DC	19P	8550mA	5500~6000mA	1220x140x56

LED Flood Light

LED Module for Flood Light

Type of Materials	Model Number	LED Color	LED Power	Input Voltage	Parallel Series	Maximum Input Current	Suggested Input Current	Dimension (mm)
Screw Power LED	GBL4W300AWW	2700K	3W	2.7~3.2V DC	Luxeon TX	1500mA	900~1100mA	Ø30x30
Screw Power LED	GBL4W300AWD	3000K	3W	2.7~3.2V DC	Luxeon TX	1500mA	900~1100mA	Ø30x30
Screw Power LED	GBL4W300ADW	4000K	3W	2.7~3.2V DC	Luxeon TX	1500mA	900~1100mA	Ø30x30
Screw Power LED	GBL4W300ACW	6000K	3W	2.7~3.2V DC	Luxeon TX	1500mA	900~1100mA	Ø30x30
Screw Power LED	GBL3W300AWW	2700K	2W	2.8~3.4V DC	Osron	1000mA	600~700mA	Ø30x30
Screw Power LED	GBL3W300AWD	3000K	2W	2.8~3.4V DC	Osron	1000mA	600~700mA	Ø30x30
Screw Power LED	GBL3W300ADW	4000K	2W	2.8~3.4V DC	Osron	1000mA	600~700mA	Ø30x30
Screw Power LED	GBL3W300ACW	6000K	2W	2.8~3.4V DC	Osron	1000mA	600~700mA	Ø30x30
Screw Power LED	GBL3W300ARGB	RGB	3X1W	3.0~3.5V DC	GBL	350mA	300mA	Ø30x30
Screw COB LED	GBL20WB150AWW	2700K	18W	36~40V DC	GBL	800mA	450~500mA	Ø60x45
Screw COB LED	GBL20WB150AWD	3000K	18W	36~40V DC	GBL	800mA	450~500mA	Ø60x45
Screw COB LED	GBL20WB150ADW	4000K	18W	36~40V DC	GBL	800mA	450~500mA	Ø60x45
Screw COB LED	GBL20WB150ACW	6000K	18W	36~40V DC	GBL	800mA	450~500mA	Ø60x45
Screw COB LED	GBL10WB150AWW	2700K	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150AWD	3000K	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150ADW	4000K	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150ACW	6000K	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150ABW	10000K	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150ABL	Blue460	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150ABU	Blue430	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45
Screw COB LED	GBL10WB150APK	Pink	9W	30~33V DC	GBL	450mA	270~300mA	Ø50x45

LED Flood Light

Flood Light Frame (Not Including Driver)

Type of Materials	Model Number	Size	Available Module Quantity	Power of Module
Flood Light Frame	GBLE-A2	510X445X56	2	60W & 50W Modules
Flood Light Frame	GBLE-A3	655X445X56	3	60W & 50W Modules
Flood Light Frame	GBLE-A4	800X445X56	4	60W & 50W Modules
Flood Light Frame	GBLE-A6	1090X445X56	6	60W & 50W Modules
Flood Light Frame	GBLE-B2	685X510X56	2	75W & 100W Modules
Flood Light Frame	GBLE-B3	685X655X56	3	75W & 100W Modules
Flood Light Frame	GBLE-B4	800X685X56	4	75W & 100W Modules
Flood Light Frame	GBLE-B6	1090X685X56	6	75W & 100W Modules
Flood Light Frame	GBLE-B8	1380X685X56	8	75W & 100W Modules
Flood Light Frame	GBLE-C2	805X510X56	2	120W Modules
Flood Light Frame	GBLE-C3	805X655X56	3	120W Modules
Flood Light Frame	GBLE-C4	805X800X56	4	120W Modules
Flood Light Frame	GBLE-C6	1090X805X56	6	120W Modules
Flood Light Frame	GBLE-D2	1045X510X56	2	150W Modules
Flood Light Frame	GBLE-D3	1045X655X56	3	150W Modules
Flood Light Frame	GBLE-D4	1045X800X56	4	150W Modules
Flood Light Frame	GBLE-D6	1090X1045X56	6	150W Modules
Flood Light Frame	GBLE-D8	1380X1045X56	8	150W Modules
Flood Light Frame	GBLE-E2	1285X510X56	2	200W Modules
Flood Light Frame	GBLE-E3	1285X655X56	3	200W Modules
Flood Light Frame	GBLE-E4	1285X800X56	4	200W Modules
Flood Light Frame	GBLE-E6	1285X1090X56	6	200W Modules
Flood Light Frame	GBLE-E8	1380X1285X56	8	200W Modules



inledcoUSA

a division of
Aquarium Design International



**aquarium
design[®]**
international

www.aquariumdesign.com

9150 Belvedere Road Suite 110, Royal Palm Beach, Florida 33411

Phone: 561-214-4632 | Fax: 561-279-2862

Email: info@aquariumdesign.com



inledcoUSA

a division of
Aquarium Design International
www.aquariumdesign.com
561.214.4632



**aquarium
design[®]**
international